

IN THE CLAIMS

Claims 1 through 21. (Cancelled with this Amendment)

Claim 22. (Original) An asphalt coated roofing shingle comprising a cured, non-woven glass fiber mat of by weight, from about 0.001 to about 15% polysiloxane; from about 60 to about 95% glass fibers distributed in from about 40 to about 5% of a urea/formaldehyde binder containing between about 0.1 and about 20% of a crosslinked styrene/(meth)acrylic polymer.

Claim 23. (Original) The roofing shingle of claim 22 wherein the mat comprises, by weight, from about 0.01 to about 10 % polysiloxane; from about 68 to about 92% glass fibers and from about 8 to about 32% urea/formaldehyde binder containing between about 0.05 and about 15% styrene/(meth)acrylic polymer modifier which is 0.05 to 10% crosslinked.

Claim 24. (Original) The roofing shingle of claim 22 wherein polysiloxane is poly(dimethylsiloxane).

Claim 25. (Original) The roofing shingle of claim 22 wherein the polysiloxane is between about 0.1 and about 2% of said modified binder.

Claim 26. (Original) The roofing shingle of claim 22 wherein said styrene/(meth)acrylic polymer is from about 1 to about 5% crosslinked.

Divisional Application of Serial No. 10/314,851

Claim 27. (Original) An asphalt coated roofing sheet comprising a cured, polysiloxane containing, non-woven fiber glass mat of, by weight, from about 0.001 to about 15% polysiloxane; from about 60 to about 95% fibers distributed in from about 40 to about 5% of said modified urea/formaldehyde binder.

Claim 28. (Original) The asphalt coated roofing sheet of claim 27 wherein the mat comprises, by weight, from about 0.01 to about 10% polysiloxane; from about 68 to about 90% glass fibers and from about 10 to about 32% urea/formaldehyde binder containing between about 0.05 and about 15% crosslinked styrene/(meth)acrylic polymer.

Claim 29. (Original) The asphalt coated roofing sheet of claim 27 wherein the polysiloxane is poly(dimethylsiloxane).

Claim 30. (Original) The asphalt coated roofing sheet of claim 27 wherein the polysiloxane is between about 0.1 and about 2 wt.% of said modified binder.

Claim 31. (Original) The asphalt coated roofing sheet of claim 27 wherein said styrene/(meth)acrylic polymer is between about 0.5 and about 5 % crosslinked with acrylonitrile.

Claim 32. (Cancelled with this Amendment).

Respectfully submitted,



William J. Davis
Attorney for Applicants
Registration No. 30,744